

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

Public Services – Municipal Administration Department – Sri M.A. Shukoor, Superintending Engineer (PH), Quality Control Circle, Guntur - Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Article of charges - Issued.

=====

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (Vig.III.1) DEPARTMENT

G.O.RT.No. 916

Dated:25-11-2014

Read:-

G.O.Rt.No.915, MA&UD(Vig-III) Dept, Dated:25-11-2014

**ORDER:**

It is proposed to hold an enquiry against Sri M.A. Shukoor, Superintending Engineer (PH), Quality Control Circle, Guntur in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The statement of articles of charges and statement of imputations of misconduct of misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed Annexures I&II. A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed in Annexures III & IV.

3. Sri M.A. Shukoor, Superintending Engineer (PH), Quality Control Circle, Guntur, is directed to submit his written statement of his defense within 10 days from the date of receipt of this order.

4. Sri M.A. Shukoor, Superintending Engineer (PH), Quality Control Circle, Guntur is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri M.A. Shukoor, Superintending Engineer (PH), Quality Control Circle, Guntur is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above further action will be processed based on the material available.

6. Attention of Sri M.A. Shukoor, Superintending Engineer (PH), Quality Control Circle, Guntur is invited to Rule 24 of the Andhra Pradesh Civil Services (conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be presumed that above said Sri M.A. Shukoor, Superintending Engineer (PH), Quality Control Circle, Guntur is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The Engineer-in-Chief (PH&ME), A.P., Hyderabad is directed to furnish copies of documents as per Annexure III to the C.O.

p.t.o

::2::

8. The receipt of the G.O. may be acknowledged.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

Dr.D.SAMBASIVA RAO  
PRINCIPAL SECRETARY TO GOVERNMENT

To  
Sri M.A. Shukoor, Superintending Engineer (PH),  
Quality Control Circle, Guntur  
(through the ENC (PH ), A.P., Hyderabad)  
The Engineer-in-Chief (PH ), A.P., Hyderabad.  
Copy to:  
The General Administration  
(V&E) Department.  
9<sup>th</sup> Floor, BRKR Office Building Complex, Tank Bund Road.  
Hyderabad.  
SF/SC.

// FORWARDED : BY ORDER //

SECTION OFFICER